




NO MATTER WHAT YOU'RE HAULING

Higher QUALITY Standards

CornPro™ Trailers maintain standards of construction quality unsurpassed in the industry. Whether you're handling horses, cattle, or hauling machinery, you'll find your CornPro trailer to be both convenient in operation and durable in the long run.



1

PAINT 


Super durable PPG epoxy primer and urethane paint on every trailer.

2

LUMBER

Premium floors with treated pine, kiln dried.

3

JACKS 

Heavy duty Bulldog® jacks and couplers.

4

FRAME

Structural steel trailer frames painted prior to floor installation.

5

AXLES 

CornPro uses only high-quality Dexter® Torflex® torsion axles.*

6

RUNNING GEAR

White mod wheels, e-coated and powder coated; minimum 6-bolt hubs and electric brakes (all-axle); radial tires.

7

LIGHTING

Rubber-mounted LED lighting standard on every CornPro.

CORNPRO USES ONLY THE FINEST MATERIALS AND CRAFTSMANSHIP

AXLES: Currently high-quality Dexter axles are standard on all CornPro trailers. We use only Dexter axles and replacement parts are readily available - from brake parts to replacement components and everything in between. Each trailer carries the axle manufacturer's factory warranty along with our overall trailer warranty.

TIRES: Tires are where our quality touches the road. Quality radial tires are supplied standard with each trailer. Each trailer carries the tire manufacturer's factory warranty along with our overall trailer warranty.

WARRANTY: See back cover for complete details on CornPro's 12-Month Warranty.

COLOR KEY: Red: ■, Black: ■, Arizona Beige: ■, Gray: ■, Pewter: ■, and White: □.

| Axle Size | Tire Size | Tire Rating |
|------------------------------|----------------------|-------------|
| 3,500 and 5,000 lbs. axle(s) | ST225/75R15 D | 2,540# |
| 6,000 lbs. axles | ST235/80R16 E | 3,520# |
| 7,000 lbs. axles | ST235/80R16 E | 3,520# |
| 8,000 lbs. axles | ST215/75R17.5 H | 4,805# |
| 10,000 lbs. axles | ST235/80R16 E (dual) | 3,200# |
| 12,000 lbs. axles | ST235/80R16 E (dual) | 3,200# |

| Trailer Type | Available Colors |
|---|------------------|
| Livestock Trailers (Bumper, Gooseneck) | ■ ■ ■ ■ ■ ■ ■ ■ |
| Horse Trailer (Packages, Deluxe) | ■ ■ ■ ■ ■ ■ ■ □ |
| Cargo Trailers | ■ ■ ■ ■ ■ ■ □ |
| Utility Trailers (Landscape) | ■ ■ ■ ■ ■ ■ |
| Utility Trailers (Car/Equipment Hauler, Standard, Heavy Duty, Tilt) | ■ ■ |
| Dump Trailers (Grain, Commercial, Residential) | ■ ■ ■ ■ ■ ■ |
| Flatbed Trailers (C-Series, Tilt/Hydraulic, Single and Dual Tandem) | ■ ■ |

Cornelius Manufacturing, Inc. reserves the right to make improvements in design or changes in these specifications at any time, without incurring any obligation to owners of units previously sold. *Exception on dual-wheel flatbeds. Torflex axles carry a 10 year warranty. Spring axles carry a 5 year warranty.



Standard Features

- 7" channel mainframe
- 6" channel side frame
- 3" channel cross members on 24" centers
- Dexter Torflex torsion axles
- Electric brakes (all-axle)
- Rubber-mounted LED lighting
- Treated and kiln dried pine decking
- Tread plate over wheel wells for lower deck height
- 5' ladder ramps with double hinge; ramps able to stand up or lay flat on tail
- 4' dovetail
- PPG epoxy primer and urethane paint



Top left: Standard stand up ramps Top right: Plated wheel well for lower profile
Bottom left: Optional full/split gates Bottom right: Optional front tool box

| Model | GAWR | GVWR | Curb Wt.* | Payload** | Length | Width | Axle Type | Frame Size | CM Centers |
|---------------|-------|-------|-----------|-----------|--------|-------|-----------|------------|------------|
| 16+4 C-series | 5,000 | 9,990 | 3,680 lbs | 7,320 lbs | 16'+4' | 102" | Torsion | 7" channel | 24" |
| 18+4 C-series | 5,000 | 9,990 | 4,000 lbs | 7,000 lbs | 18'+4' | 102" | Torsion | 7" channel | 24" |
| 20+4 C-series | 5,000 | 9,990 | 4,380 lbs | 6,620 lbs | 20'+4' | 102" | Torsion | 7" channel | 24" |

* Curb weight is based on a base model unit with no options.
** Payload is calculated on 10% transfer weight on bumper hitch when weight is distributed evenly.

Optional Features

- Full/split gates
- 6K or 7K axles
- Lockable tool box
- No dovetail
- Channel gooseneck
- Extra D-rings
- Spare tire/wheel
- Blackwood (full trailer, tread space or dovetail)



Standard Features

- Bulldog 10,000 lb. jack (4" square)
- 2 5/16" heavy duty coupler
- Dexter Torflex torsion axles
- Electric brakes (all-axle)
- Rubber-mounted LED lighting
- Treated and kiln dried pine decking
- 2 D-rings in bulkhead
- Lockable tool box
- PPG epoxy primer and urethane paint
- Bead blasted before painting

| Model | GAWR | GVWR | Curb Wt.* | Payload** | Length | Width | Axle Type | Frame Size | CM Centers |
|--------------------|--------|--------|-----------|------------|------------------------|-------|-----------|------------|------------|
| 6+21 7K | 7,000 | 14,000 | 5,400 lbs | 11,400 lbs | 6' stationary+21' tilt | 102" | Torsion | 10" I-beam | 24" |
| 6+21 10K | 10,000 | 20,000 | 7,010 lbs | 16,990 lbs | 6' stationary+21' tilt | 102" | Spring | 10" I-beam | 16" |
| 27' 7K power tilt | 7,000 | 14,000 | 5,700 lbs | 11,100 lbs | 27' full tilt | 102" | Torsion | 10" I-beam | 24" |
| 27' 10K power tilt | 10,000 | 20,000 | 7,360 lbs | 16,640 lbs | 27' full tilt | 102" | Spring | 10" I-beam | 16" |
| 20+10 hyd DT | 10,000 | 20,000 | 7,640 lbs | 16,360 lbs | 20'+10' Hyd. dove tail | 102" | Spring | 10" I-beam | 16" |

* Curb weight is based on a base model unit with no options.
** Payload is calculated on 20% transfer weight on gooseneck, when weight is distributed evenly.

Optional Features


- Cross members on 16" centers (approx.)
- Electric/hydraulic brakes
- Spare tire/wheel
- 2-speed double jacks with or without drop legs
- Extra drop jack
- Expanded metal in gooseneck
- Extra D-rings
- Wireless remote (power tilt only)
- Bumper model
- Blackwood (full trailer, tread space or dovetail)



Left: Tilt trailer available as tag Right: Standard dampening cylinder on 6+21 models

The HISTORY of CornPro

The name CornPro comes from the "Cornelius" family that originated the brand. The objective, then as now, was to produce "Professional" grade trailers. Thus, the name "CornPro" was born. The company has grown from building agricultural equipment to a complete trailer line that includes horse, livestock, flat, utility and dump trailers.



Turning the Industry Upside Down

CornPro trailer frames are so strong the entire weight can be supported by just four roof bows without frame distortion. The added rigidity and strength of CornPro trailers means years of safe operation.

CORNELIUS MANUFACTURING, INC. unconditionally warrants each new Cornelius Manufacturing, Inc. product to be free from defects in material and workmanship for a period of 12 months, normal wear and tear of products accepted. The warranty period begins on the date of delivery of the new Cornelius Manufacturing, Inc. product to the original purchaser. The warranty applies to all new Cornelius Manufacturing, Inc. equipment that has not been altered and is being used for its intended purpose within the stated GVW.

Tires, axle assemblies and brake assemblies on Cornelius Manufacturing, Inc. equipment are warranted through their respective manufacturers and their network of dealers in your local area.

Under this warranty, we shall, at our option, repair and replace, free of charge, to the purchaser, any defects in part or parts. The part or parts must be returned within thirty (30) days from date of failure to Cornelius Manufacturing, Inc. through the dealer from whom the purchase was made.

This warranty shall not be interpreted to render us liable for injury or damages of any kind or nature, direct, consequential, or contingent, to person or property. This warranty does not extend to loss of crops, loss because of delay in harvesting or any expenses or loss incurred for labor, supplies, substitute machinery, rental or for any other reason.

This warranty is subject to any existing conditions of supply which may directly affect our ability to obtain materials or manufacture replacement parts.

Cornelius Manufacturing, Inc. reserves the right to make changes in design or changes in specifications at any time, without incurring any obligation to owners of units previously sold.

No one is authorized to alter, modify, or enlarge this warranty nor its exclusions, limitations or reservations.



Factory direct / retail sales and factory pick-up not available.



To locate your authorized CornPro Trailers dealer, please visit cornpro.com

Cornelius Manufacturing, Inc. reserves the right to make improvements in design or changes in these specifications at any time, without incurring any obligation to owners of units previously sold.